Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

065691-0433

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO
INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

Date Submitted: December 8, 2009

(use as many sheets as necessary)

1 of 6

Sheet

REL DEC 08 2009

	U.S. PATENT DOCUMENTS						
Examin er Initials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		

Attomey Docket Number

ı	UNPUBLISHED U.S. PATENT APPLICATION DOCUMENTS							
Examiner Initials*	Cite No.1	U.S. Patent Application Document Serial Number-Kind Code ² (if known)	Filing Date of Cited Document MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear			
				1				

	FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ³ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Documents	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T6		
	A1	EP 1 270 595 B1	01/02/2003	Kyowa Hakko Kogyo Co., Ltd.				
	A2	EP 1 443 961 B1	08/11/2004	Genentech, Inc.				
	_	L			l .	1		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	А3	Advanced Catalogue Search, ATCC Number CRL-1662, Product Description, [online] [retrieved on Sept. 22, 2009]. Retrieved from the Internet - URL: mhtmt:file://NV.\Intellectual PropertyAPPLICATIONSIOPPOSITIONSIL=Blatoc of>	
	A4	Advanced Catalogue Search, ATCC Number CRL-1823. Product Description [online] [retrieved on 09/22/2003]. Retrieved from the Internet - VallE: http://www.lgcstandards-atcc.org/LGCAdvancedCatalogueSearch/Product Description.	
	A5	ALBERTS, et al., "Molecular Biology of The Cell, 3 rd Ed., p. 1206, Ch. 23: <i>The Immune System</i> , Garland Publishing.	
	A6	ARMSTRONG-FISHER et al., "Evaluation of a panel of human monoclonal antibodies to D and Exploration of the synergistic effects of blending IgG1 and IgG3 antibodies on their in vitro biologic function," <i>Transfusion</i> , Au. 1999, pp. 1005-1012, Vol. 39.	

Examiner Signature		Date Considered	
*FYAMINER: In	tial if reference considered, whether or not citation is in conformance with MAPER 609.	raw line through citation if no	t in conformance and not

"EXAMINENT, final if reference controlled co

This collection of Information is required by 37 CFR 1.97 and 1.98. The Information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application, condidentality is opened by 35 U.S. C12 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete. Including spithering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the Individual case. Any comments on the amount of time you require to complete this form andors suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 2231-3450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 4450, Alexandria, VA 2231-3450,

Approved for use through 03/31/2007. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

OIVID CO	ntroi number.					_
$\overline{}$	Substitute for fo	rm 14	49/PTO	Co	omplete if Known	7
	INFORMATION	DISC	LOSURE	Application Number	10/566,358	
l	STATEMENT BY APPLICANT			Filing Date	04/13/2006	
ŀ	Date Submitted: D		hor 9 2000	First Named Inventor	Dominique BOUREL	
	Date Submitted. D	ecem	Del 6, 2009	Art Unit	1644	
(use as many sheets as necessary)			necessary)	Examiner Name	Ilia I. Ouspenski	
Sheet	2	of	6	Attorney Docket Number	065691-0433	7

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T°
	A7	Blood Plasma, Wikipedia, Ionline] [retrieved on 09/22/2009]. Retrieved from the Internet: <url: http://len.wikipedia.org/wiki/Blood_plasma>, 3 pages. Revision history of Blood plasma, Wikipedia, Ionline] [retrieved 09/22/2009]. Retrieved from the Internet: <url: en.wikipedia.org="" http:="" index.php?title="Blood_plasma&limit=500&action=history" w="">, 18 pages.</url:></url: 	
	A8	BOYD et al., "The Effect of the Removal of Sialic Acid, Galactose and Total Carbohydrate on the Functional Activity of Campath-1H," Mole. Immunol., 1995, pp. 1311-1318, Vol. 32, Nos. 17/18.	
	A9	BRAND, A., "Immunosuppression and Immunomodulation," <i>Immunological and Infectious Diseases of the Peripheral Nerves</i> , Latov et al., editors, Cambridge University Press, Chapter 24, pp. 366-368, 1998.	
	A10	BREDIUS et al., "Role of neutrophile Fc ₇ Rlla (CD32) and Fc ₇ Rlllb (CD16) polymorphic forms in phagocytosis of human IgG1- and IgG3-opsonized bacteria and erythrocytes," <i>Immunology</i> , 1994, pp. 624-630, Vol. 83.	
	A11	CANT et al., "Glycosylation and functional activity of anti-D secreted by two human lymphoblastoid cell lines," Cytotechnology, 1994, pp. 223-228, Vol. 15.	
	A12	CARROLL et al., "Mouse X human heterohybridomas as fusion partners with human," <i>J. Immunol.</i> Methods, 1986, pp. 61-72, Vol. 89, Elsevier.	
	A13	CD81. Wikipedia, [online] [retrieved on 09/2/2/009]. Retrieved from the Internet: <url: http://en.wikipedia.org/wiki/CD81.5 pages. Revision history of CD81, [online] [retrieved on 09/2/2/2009]. Retrieved from the Internet: <url: http://en.wikipedia.org/windox.ph/pt/tile=CD81&action=history, 1 page.</url: </url: 	
	A14	CHOWDHURY et al., "Tailor-made antibody therapeutics," Methods, 2005, pp. 11-24, Vol. 36, Elsevier.	
	A15	DUCROT et al., "Use of the DAF Assay to Assess the Functional Properties of Polyclonal and Monoclonal Rh D Antibodies," Vox Sang, 1996, pp. 30-36, Vol. 71.	П
	A16	GALILI et al., "A Unique Natural Human IgG Antibody with Anti-α-Galactosyl Specificity," <i>J. Exp. Med.</i> , Nov. 1984, pp. 1519-1531, Vol. 160.	
	A17	GOOSSENS, et al., "Human monoclonal antibodies against blood group antigens. Preparation of a series of stable EN immortalized B clones producing high levels of antibody of different isotypes and specificities," J. Immunol. Methods, 1987, pp. 193-200, Vol. 101, Elsevier.	
	A18	GREENMAN et al., "Comparative efficiencies of bispecific F(ab'y) ₂ and chimeric mouse/human IgG antibodies in recruiting cellular effectors for cytotoxicity via Fc ₇ receptors," Cancer Immunol. Immunother., 1992, pp. 361-369, Vol. 34.	

Examiner	Date
Signature	Considered

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered include copy of his form with next communication to applicant. I Applicant's unique clation despination number (optional) 2 See Kinds Codes of USPTO Patent Documents at www.septo.gov or MEPP 901.04. S.Enter Office that issued the document, by the no-best crode (VMPO 91.04 S.Enter Office that issued the document, by the no-best crode (VMPO 91.04 S.Enter Office that issued the document, by the no-best crode (VMPO 91.04 S.Enter Office The present must precede the serial number of the patent document. S find of document by the appropriate symbols as indicated not the document under VMPO Standard 57.16 if possible. Applicant is to place a check mark here if English language Translation is attached

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 03/31/2007. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449/PTO Complete if Known INFORMATION DISCLOSURE Application Number 10/566.358 STATEMENT BY APPLICANT Filing Date 04/13/2006 First Named Inventor Dominique BOUREL Date Submitted: December 8, 2009 Art Unit 1644 (use as many sheets as necessary) Examiner Name Ilia I. Ouspenski Sheet 3 of 6 Attorney Docket Number 065691-0433

_		NON PATENT LITERATURE DOCUMENTS	\neg
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	A19	HADLEY et al., "The functional activity of FcyRII and FcyRIII on subsets of human lymphocytes," Immunology, 1992, pp. 446-451, Vol. 76.	
	A20	HSU et al., "Differential N-Glycan Patterns of Secreted and Intracellular IgG Produced in Trichoplusia ni Cells," J. Biol. Chem., Apr. 1997, pp. 9062-9070, Vol. 272, No.14.	
	A21	HUGHES-JONES et al., "Nucleotide sequences and three-dimensional modeling of the V _H and V _L domains of two human monoclonal antibodies specific for the D antigen of the human Rh-blood-group system," <i>Blochem J.</i> , 1990, pp. 135-140, Vol. 268.	
	A22	IP et al., "Structural Characterization of the N-Glycans of a Humanized Anti-CD18 Murine Immunoglobulin G," Archives of Biochemistry and Biophysics, Feb. 1991, pp. 387-399, Vol. 208, No. 2.	
	A23	JEFFERIS et al., "IgG-Fc-mediated effector functions: molecular definition of interaction sites for effector ligands and the role of glycosylation," <i>Immunol. Reviews</i> , 1998, pp. 59-76, Vol. 163.	
	A24	KELER et al., "Bispecific antibody-dependent Cellular Cytotoxicity of HER2/neu-overexpressing Tumor Cells by Fcy Receptor Type I-expressing Effector Cells," Cancer Research, Sept. 1997, pp. 4008-4014, Vol. 57.	
	A25	KILMARTIN et al., "Rat Monoclonal Antitubulin antibodies Derived by Using a New Nonsecreting Rat Cell Line," J. Cell Biol., June 1982, pp. 576-582, Vol. 93.	
	A26	KLEIN et al., "Human recombinant anti-Rh(D) monoclonal antibodies: Improvement of biological properties by in vitro class-switch," Human Antibodies, 1997, pp. 17-25, Vol. 8, No. 1.	
	A27	KUMPEL et al., "Activity and Fcy receptor utilization of IgG anti-D monoclonal antibodies in monocytes chemiluminescence assays and lymphocyte ADCC assays." 4" Workshop on Mabs against human red blood cells and related antigens, PARIS, 19-20 July 2002, page 1.	
	A28	KUMPEL et al., "Galactosylation of human IgG monoclonal anti-D produced by EBV-transformed By- lymphoblastoid cell lines is dependent on culture method and affects Fc receptor-mediated functional activity," Hum. Antibod. Hybridomas, 1994, pp. 143-151, Vol. 5. Nos. 3 and 4.	
	A29	KUMPEL et al., "Heterogeneity in the ability of IgG1 monoclonal anti-D to promote lymphocyte- mediated red cell lysis, <i>Eur. J. Immunol.</i> , 1989, pp. 2283-2288, Vol. 19.	
	A30	KUMPEL et al., "Human Rh D monoclonal antibodies (BRAD-3 and BRAD-5) cause accelerated clearance of Rh D+ red blood cells and suppression of Rh D immunication in Rh D- volunteers," Blood, 1995, pp. 1701-1709, Vol. 86, American Society of Hematology.	
	A31	KUMPEL, B.M., "Efficacy of RhD monoclonal antibodies in clinical trials as replacement therapy for prophylactic anti-D immunoglobulin: more questions than answers," Vox Sang., 2007, pp. 99-111, Vol. 93.	

Examiner Signature	Date Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional), 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3), 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of Information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Petent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 03/31/2007. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

OWR COL	itroi number.				
	Substitute for fo	rm 14	\$9/PTO	Co	omplete if Known
	INFORMATION	DISC	LOSURE	Application Number	10/566,358
	STATEMENT B	Y APF	PLICANT	Filing Date	04/13/2006
	D-1- 0-1		0 2000	First Named Inventor	Dominique BOUREL
	Date Submitted: December 8, 2009			Art Unit	1644
	(use as many shee	ts as	necessary)	Examiner Name	Ilia I. Ouspenski
Shoot	4	of	6	Attorney Docket Number	065691-0433

Examiner Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), titl tim (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-is number(s), publisher, city and/or country where published. A32 KUMPEL, B.M., "Monoclonal anti-D for prophylaxis of RhD haemolytic disease of the newborn Transfus. Clin. Biol., 1997, pp. 351-356, Vol. 4. A33 LIFELY et al., "Glycosylation and biological activity of CAMPATH-1H expressed in different cell and grown under different culture conditions," Glycobiology, 1995, pp. 813-822, Vol. 5, No. 8. A34 LUND et al., "Control of IgG/Fc Glycosylation: A Comparison of Gligos accharides from Chime Human/Mouse and Mouse Subclass Immunoglobulin Gs," Mole. Immunol., 1993, pp. 741-748, No. 1. A35 MAMED et al., "Requirements for the establishment of heterohybridomas secreting monocity of the Capital Comparison of Gligos accharides from Chime Human/Mouse and Mouse Subclass Immunoglobulin Gs," Mole. Immunol., 1993, pp. 745-751, No. 8. A36 MERIAM-WEBSTER, Webster's Third New International Dictionary of the English Language Unabridged, 1961, p. 1761. A37 MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibocytochnology, 2007, pp. 109-114, Vol. 55. A38 NAKAMURA et al., "Chimeric Anti-Cangiloside Gwa Antibody with Antitumor Activity," Cancer Research, Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides fro glycoprotiens for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric. 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies." Immunotechnology, 37-47, Vol. 4, Elsevier.		
Transfus. Clin. Biol., 1997, pp. 351-356, Vol. 4. A33 LiFELY et al., "Glycosylation and biological activity of CAMPATH-1H expressed in different cell and grown under different culture conditions," Glycobiology, 1995, pp. 813-822, Vol. 5, No. 8. A34 LUND et al., "Control of IgG/Fc Glycosylation: A Comparison of Oligosaccharides from Chimer Human/Mouse and Mouse Subclass Immunoglobulin Gs." Mole. Immunol., 1993, pp. 741-748. A35 NELAMED et al., "Requirements for the establishment of heterohybridomas secreting monocic human antibody to rhesus (D) blood group antigen," J. Immunol. Methods, 1987, pp. 245-251, 104. Elsevier. A36 MERRIAM-WEBSTER, Webster's Third New International Dictionary of the English Language Unabidged, 1961, p. 1761. A37 MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibodycyclocidechnology, 2007, pp. 109-114, Vol. 55. A38 NAKAMURA et al., "Chimeric Anti-Canglioside Gwa Antibody with Antitumor Activity," Cancer Research, Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric; 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology, 37-47, Vol. 4, Elsevier.		тe
and grown under different culture conditions," <i>Clycobiology</i> , 1995, pp. 813-822, Vol. 5, No. 8. A34 LUND et al., "Control of IgG/Fc Glycosylation." A Comparison of Oligosaccharides from Chime Human/Mouse and Mouse subclass Immunoglobulin Gs," <i>Mole. Immunol.</i> , 1993, pp. 741-748, No. 8. A35 MELAMED et al., "Requirements for the establishment of heterohybridomas secreting monoclinuman antibody to rhesus (O) blood group antigen," <i>J. Immunol. Methods</i> , 1987, pp. 245-251, 104, Elsevier. A36 MERRIAM-WEBSTER, Webster's Third New International Dictionary of the English Language Unabridged, 1961, p. 1761. A37 MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibody cytochechnology, 2007, pp. 109-114, Vol. 55. A38 NAKAMURA et al., "Chimeric Anti-Ganglioside Gм₂ Antibody with Antitumor Activity," <i>Cancer Research</i> , Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/lonization time-of-flight mass spectrometric. 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> , 37-47, Vol. 4, Elsevier.		
Human/Mouse and Mouse Subclass Immunoglobulin Gs," Mole. Immunol., 1993, pp. 741-748, No. 8. A35 MELAMED et al., "Requirements for the establishment of heterohybridomas secreting monocid human antibody to rhesus (D) blood group antigen," J. Immunol. Methods, 1987, pp. 245-251, 104, Elsevier. A36 MERRIAM-WEBSTER, Webster's Third New International Dictionary of the English Language Unabridged, 1981, p. 1761. A37 MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibodies: the next generation of therapeutic antibodytotechnology, 2007, pp. 109-114, Vol. 55. A38 NAKAMURA et al., "Chimeric Anti-Ganglioside Gsc Antibody with Antitumor Activity," Cancer Research, Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides fror glycoprotiens for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric. 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology, 37-47, Vol. 4, Elsevier.	lines	
human antibody to rhesus (D) blood group antigen," <i>J. Immunol. Methods</i> , 1987, pp. 245-251, 104, Elsevier. A36 MERRIAM-WEBSTER, Webster's Third New International Dictionary of the English Language Unabridged, 1961, p. 1761. A37 MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibodies: the next generation of therapeutic antibodycric cyclechnology, 2007, pp. 109-114, Vol. 55. A38 NAKAMURA et al., "Chimeric Anti-Ganglioside G _{NG} Antibody with Antitumor Activity," <i>Cancer Research</i> , Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric: 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> , 37-47, Vol. 4, Elsevier.	Vol. 30,	
Unabridged, 1981, p. 1761. A37 MORI et al., "Non-fucosylated therapeutic antibodies: the next generation of therapeutic antibocytotechnology, 2007, pp. 109-114, Vol. 55. A38 NaKAMURA et al., "Chimeric Anti-Ganglioside G _{N2} Antibody with Antitumor Activity," Cancer Research, Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throught microscale method to release N-linked oligosaccharides from glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric. 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology, 37-47, Vol. 4, Elsevier.		
Cytotechnology, 2007, pp. 109-114, Vol. 55. A38 NAKAMURA et al., "Chimeric Anti-Canglioside G _{M2} Antibody with Antitumor Activity," Cancer Research, Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides fror glycoproteins for matrix-assisted laser description/ionization time-of-flight mass spectrometric: 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology, 37-47, Vol. 4, Elsevier.		
Research, Mar. 1994, pp. 1511-1516, Vol. 54. A39 PAPAC et al., "A high-throughput microscale method to release N-linked oligosaccharides fror glycoprotients for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric. 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology, 37-47, Vol. 4, Elsevier.	"kesit	
glycoproteins for matrix-assisted laser desorption/ionization time-of-flight mass spectrometric: 1998, pp. 463-472, Vol. 8, No. 5. A40 PATERSON et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> , 37-47, Vol. 4, Elsevier.		
biological activity of two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> , 37-47, Vol. 4, Elsevier.		
A41 PRESTA, Leonard G., "Engineering of therapeutic antibodies to minimize immunogenicity and function," Advanced Drug Delivery Reviews, 2006, pp. 640-656, Vol. 58, Elsevier.	optimize	
A42 PUTHALAKATH et al., "Glycosylation Defect in Lec1 Chinese Hamster Ovary Mutant Is Due to Mutation in N-Acetylglucosaminyltransferase I Gene," J. Biol. Chem., Nov. 1996, pp. 27818-27 Vol. 271. No. 44		
A43 RAJU et al., "Species-specific variation in glycosylation of IgG: evidence for the species-specisialylation and branch-specific galactosylation and importance for engineering recombinant glycoprotein therapeutics," Glycobiology, 2000, pp. 477-486, Vol. 10, No. 5.	C	
A44 REVILLARD, Jean-Pierre, Immunologie, 2d Ed., 1995, various chapters, DeBoeck Université.		

Examiner Signature		Date Considered	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3), 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of Information is required by 37 CFR 1.97 and 1.98. The Information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademant Officer, P.O. Bot 1450, Alexandra, V. 2313-1450, D. NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/08 (09-06) Approved for use through 03/31/2007. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

OMB control number. Complete if Known Substitute for form 1449/PTO 10/566.358 INFORMATION DISCLOSURE Application Number 04/13/2006 STATEMENT BY APPLICANT Filing Date First Named Inventor Dominique BOUREL Date Submitted: December 8, 2009 Art Unit 1644 (use as many sheets as necessary) **Examiner Name** Ilia I. Ouspenski

Sheet 5

of

Attorney Docket Number

065691-0433

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	Т
	A45	ROTHMAN et al., "Antibody-dependent Cytotoxicity Mediated by Natural Killer Cells is Enhanced by Castanospermine-induced Alterations of IgG Glycosylation," Mole. Immunol., 1989, pp. 1113-1123, Vol. 26, No. 12.	
	A46	SEGAL et al., "The Role of Non-immune IgG in Controlling IgG-Mediated Effector Functions," Mole. Immunol., 1983, pp. 1177-1189, Vol. 20, No. 11.	
	A47	SHAW et al., "Human Lymphocyte, Monocyte, and Neutrophil Antibody-Dependent Cell-Mediated Cytotoxicity toward Human Erythrocytes," Cell. Immunol., 1978, pp. 122-133, Vol. 41.	
	A48	SHIELDS et al., "Lack of Fucose on Human IgG1 N-Linked Oligosaccharide Improves Binding to Human FcyRIII and Antibody-dependent Cellular Toxicity," J. Bio. Chem., July 2002, pp. 26733-26740, Vol. 277, No. 30.	
	A49	SHINKAWA et al., "The Absence of Fucose but Not the Presence of Galactose or Bisecting N-Acetylglucosamine of Human IgG1 Complex-type Oliposaccharides Shows the Critical Role of Enhancing Antibody-dependent Cellular Cytotoxicity," J. Biol. Chem., Jan. 2003, pp. 3466-3473, Vol. 278, No. 5.	
	A50	SHITARA et al., "A new vector for the high level expression of chimeric antibodies in myeloma cells," <i>J. Immunol. Methods</i> , 1994, pp. 271-278, Vol. 167, Elsevier Science B.V.	
	A51	SIBÉRIL et al., "Selection of a human anti-RhD monocional antibody for therapeutic use: Impact of IgG glycosylatilion on activating and inhibitory FcyR functions," Clinical Immunol., 2006, pp. 170-179, Vol. 118, Elsevier	
	A52	TAKAHASHI et al., "Comparative Structural Study of the N-Linked Oligosaccharides of Human IgG Normal and Pathological Immunoglobulin G," <i>Biochemistry</i> , 1987, pp. 1137-1144, Vol. 26.	
	A53	TANDAI et al., "Structural Study of the Sugar Moieties of Monoclonal Antibodies Secreted by Human- Mouse Hybridoma," <i>Archives of Biochemistry and Biophysics</i> , Dec. 1991, pp. 339-348, Vol. 291, No. 2.	
	A54	TEILLAUD, Jean-Luc, "Engineering of monoclonal antibodies and antibody-based fusion proteins: successes and challenges," Expert Opin. Biol. Ther., 2005, pp. S15-S27, Vol. 5, Suppl. 1, Ashley Publications.	
	A55	UMAÑA et al., "Engineered glycoforms of an antineuro-blastoma IgG1 with optimized antibody- dependent cellular cytotoxic activity," <i>Nature Biotechnology</i> , Feb. 1999, pp. 176-180, Vol. 17.	
	A56	URBANIAK et al., "Prediction of the Outcome of Rhesus Haemolytic Disease of the Newborn: Additional Information Using an ADCC Assay," Vox Sang., 1984, pp. 323-329, Vol. 46.	
	A57	URBANIAK, S.J., "ADCC (K-Cell) Lysis of Human Erythrocytes Sensitized with Rhesus Alloantibodies," British J. Haematology, 1979, pp. 303-314, Vol. 42.	

Examiner Signature		Date Considered				
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and						

EACHGONIC III. In the case of the common the common terms of the case of the common terms of the common te

This collection of information is required by 3 C FR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to life (and by the USFTO to process) an application. Confiderability is powered by 5 U. S.C. 122 and 3 T C FR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USFTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this bursher, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandra, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner Or Patents, P.O. Box 1450, Alexandra, VA 22313-1450.

Approved for use through 03/31/2007, OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid

Substitute for form 1449/PTO			49/PTO	Complete if Known	
INFORMATION DISCLOSURE			LOSURE	Application Number	10/566,358
STATEMENT BY APPLICANT			PLICANT	Filing Date	04/13/2006
Date Submitted: December 8, 2009 (use as many sheets as necessary)			har 9 2000	First Named Inventor	Dominique BOUREL
			Del 0, 2005	Art Unit	1644
			necessary)	Examiner Name	Ilia I. Ouspenski
Sheet	6	of	6	Attorney Docket Number	065691-0433

		NON PATENT LITERATURE DOCUMENTS	_
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	τ٩
	A58	WRIGHT et al., 'Effect of Altered C _R 2-associated Carbohydrate Structure on the Functional Properties and In Vivo Fate of Chimeric Mouse-Human Immunoglobulin G1, J. Exp. Med., Sept. 1994, pp. 1087-1096, Vol. 180. The Rockefeller University Press.	
	A59	WRIGHT et al., "Effect of C2-Associated Carbohydrate Structure on Ig Effector Function: Studies with Chimeric Mouse-Human IgG1 Antibodies in Glycosylation Mutants of Chinese Hamster Ovary Cells," J. of Immunol., 1998, pp. 3393-3402.	
	A60	WRIGHT et al., "Effect of glycosylation on antibody function: Implications for genetic engineering," TIBTECH, Jan. 1997, pp. 26-32, Vol. 15.	
	A61	WRIGHT et al., "In vivo Trafficking and catabolism of IgG1 antibodies with Fc associated carbohydrates of differing structure," Glycobiology, 2000, pp. 1347-1355, Vol. 10, No. 12.	
	A62	YANO et al., "Analysis of N-linked oligosaccharides in the Fc region of an antibody," Experiment Summary, 16 pages, 23 June to 28 July, 2009.	

Examiner Signature	/Ilia Ouspenski/	Date Considered	01/11/2010
Signature	And Odoponom	Considered	0111112010

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional), 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3), 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.